Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1842	content near2 routing	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2006/12/25 16:27
L2	52	1 near30 cache	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2006/12/25 16:27
L3	493	content near2 based near2 routing	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2006/12/25 16:27
L4	13	3 near30 cache	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2006/12/25 16:27
.L5	75058	wireless near2 device	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2006/12/25 17:47
L6		((jpg htm pdf mime) and ((network near30 rout\$3) same (application adj layer))) and ((ascii same binary) and (routing adj option))	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2006/12/25 17:47
L7	0	(ascii same binary) same (routing adj option)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2006/12/25 17:47
L8	21775	application adj layer	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2006/12/25 17:47
L9	1110	(network near30 rout\$3) same (application adj layer)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2006/12/25 17:47
L10	63221	(pda mobile cell) near100 (configure activate initialize setup authorize)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2006/12/25 17:47
L11	. 0	(("6347087" "6016388").pn.) and mime	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2006/12/25 17:47
L12	78	(caching near2 protocol) same rout\$3	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2006/12/25 17:47

Page 1

			-			
L13	4	("6347087" "6016388").pn.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2006/12/25 17:47
L14	349202	san or (storage adj area adj network)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2006/12/25 17:47
L15	8437	((online internet web) same (community group)) same (refer introduce link associate)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2006/12/25 17:47
L16	1020	(((online internet web) same (community group)) same (refer introduce link associate)) same (block prevent lock ban bar authenticate password)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR .	ON	2006/12/25 17:47
L17	75058	wireless near2 device	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2006/12/25 17:47
L18	0	("6347087" "6016388").pn. and cach\$4	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2006/12/25 17:47
L19	349202	san or (storage adj area adj network)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2006/12/25 17:47
L20	2	routing near5 content near5 mime	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2006/12/25 17:47
L21	107	rout\$3 near15 mime	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2006/12/25 17:47
L22	3	(caching near2 protocol) same (satellite)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR .	ON	2006/12/25 17:47
L23 _.	78	(caching near2 protocol) same rout\$3	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2006/12/25 17:47
L24	86	ndmp	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2006/12/25 17:47

					16	T
L25	16233	library same manag\$5	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2006/12/25 17:47
L26	21775	application adj layer	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2006/12/25 17:47
L27	2	routing near5 content near5 mime	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2006/12/25 17:47
L28	59481	(online internet web) same (community group)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2006/12/25 17:47
L29	0	("6016388").pn. and socket	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2006/12/25 17:47
L30	16233	library same manag\$5	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2006/12/25 17:47
L31	1065	routing adj option	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2006/12/25 17:47
L32	317	(online internet web) near5 (dating)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2006/12/25 17:47
L33	223	(((wireless near2 device) (pda mobile cell)) near100 (configure activate initialize setup authorize)) and (activate near2 feature)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2006/12/25 17:47
L34	23	((caching near2 protocol) same rout\$3) and satellite	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2006/12/25 17:47
L35	266	content adj based adj routing	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON .	2006/12/25 17:47
L36	223	(((wireless near2 device) (pda mobile cell)) near100 (configure activate initialize setup authorize)) and (activate near2 feature)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2006/12/25 17:47

L38	398	(online internet web) near30 (dating)	US-PGPUB;	OR	ON	2006/12/25 17:47
			USPAT; EPO; DERWENT; IBM_TDB			
L39	21441	(jpg htm pdf mime) and "9"	US-PGPUB; USPAT; EPO; DERWENT;	OR ·	ON	2006/12/25 17:47
L40	0	("6016388").pn. and socket	IBM_TDB US-PGPUB; USPAT; EPO;	OR	ON	2006/12/25 17:47
L41	0	("6343313").pn. and socket	DERWENT; IBM_TDB US-PGPUB; USPAT; EPO;	OR	ON	2006/12/25 17:47
	:		DERWENT; IBM_TDB			
L42	0	("5586121").pn. and socket	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2006/12/25 17:47
L43	398	(online internet web) near30 (dating)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2006/12/25 17:47
L46	2	(jpg htm pdf mime) same ((network near30 rout\$3) same (application adj layer))	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2006/12/25 17:47
L47	0	(ascii same binary) same (routing adj option)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2006/12/25 17:47
L48	49939	(wireless near2 device) and (pda mobile cell)	US-PGPUB; USPAT; EPO; DERWENT;	OR	ON	2006/12/25 17:47
L50	23	((caching near2 protocol) same rout\$3) and satellite	IBM_TDB US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2006/12/25 17:47
L51	1110	(network near30 rout\$3) same (application adj layer)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2006/12/25 17:47
L52	0	(ascii same binary) same (routing adj option)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2006/12/25 17:47

		LASI Search misto	·- y			
L53	107	rout\$3 near15 mime	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2006/12/25 17:47
L56	317	(online internet web) near5 (dating)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2006/12/25 17:47
L57	59481	(online internet web) same (community group)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2006/12/25 17:47
L58	0	("6016388").pn. and socket	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2006/12/25 17:47
L59	3	("6347087" "6205481" "6016388").pn.	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2006/12/25 17:47
L60	0	L59 and (rout\$4 near10 (size))	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2006/12/25 17:47
L61	73	((network near30 rout\$3) same (application adj layer)) and (content near4 routing)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2006/12/25 17:47
L62	3104	content near4 routing	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2006/12/25 17:47
L63	21441	(jpg htm pdf mime) and "9"	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2006/12/25 17:47
L64	0	(("6347087" "6016388").pn.) and mime	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2006/12/25 17:47
L65	76	(((online internet web) near5 (dating)) same (profile preference associate link)) and (block prevent lock ban bar)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2006/12/25 17:47
L66	87	(application adj layer) and (content adj based adj routing)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2006/12/25 17:47
L67	2	routing near5 content near5 mime	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2006/12/25 17:47

L68	2	routing near5 content near5 mime	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2006/12/25 17:47
L69	87	(application adj layer) and (content adj based adj routing)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2006/12/25 17:47
L71	266	content adj based adj routing	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2006/12/25 17:47
L72	0	("6347087" "6016388").pn. and cach\$4	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON .	2006/12/25 17:47
L73	266	content adj based adj routing	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2006/12/25 17:47
L74	0	((jpg htm pdf mime) and ((network near30 rout\$3) same (application adj layer))) and ((ascii same binary) and (routing adj option))	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2006/12/25 17:47
L75	21441	(jpg htm pdf mime) and ((jpg htm pdf mime) and "9")	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2006/12/25 17:47
L77	317	(online internet web) near5 (dating)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2006/12/25 17:47
L78	59481	(online internet web) same (community group)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2006/12/25 17:47
L79	73	((network near30 rout\$3) same (application adj layer)) and (content near4 routing)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2006/12/25 17:47
L81	1983627	pda mobile cell	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2006/12/25 17:47
L82	612	(library same manag\$5) same (device same host)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2006/12/25 17:47

Log I	240202	(dame di sua di sabada	LIC DCDLID.	OR .	Low	2006/12/25 17:47
L83	349202	san or (storage adj area adj network)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2006/12/25 17:47
L84	86	ndmp	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2006/12/25 17:47
L85	0	(routing adj option) and (content adj based adj routing)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2006/12/25 17:47
L86	73	((network near30 rout\$3) same (application adj layer)) and (content near4 routing)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2006/12/25 17:47
L87	1065	routing adj option	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2006/12/25 17:47
L88		("6347087" "6016388").pn. and socket	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2006/12/25 17:47
Ļ89	8437	((online internet web) same (community group)) same (refer introduce link associate)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2006/12/25 17:47
L90	3104	content near4 routing	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2006/12/25 17:47
L91	1065	routing adj option	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2006/12/25 17:47
L92	0	("6347087" "6016388").pn. and socket	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON .	2006/12/25 17:47
L93	8437	((online internet web) same (community group)) same (refer introduce link associate)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2006/12/25 17:47
L95	21441	(jpg htm pdf mime) and ((jpg htm pdf mime) and "9")	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2006/12/25 17:47

L96	0	((jpg htm pdf mime) and ((network near30 rout\$3) same (application adj layer))) and ((ascii same binary) and (routing adj option))	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2006/12/25 17:47
L97	76	((((online internet web) near5 (dating)) same (profile preference associate link)) and (block prevent lock ban bar)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2006/12/25 17:47
L99	. 0	(routing adj option) and (content adj based adj routing)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2006/12/25 17:47
L100	87	(application adj layer) and (content adj based adj routing)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2006/12/25 17:47
L103	317	(online internet web) near5 (dating)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2006/12/25 17:47
L104	59481	(online internet web) same (community group)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR .	ON	2006/12/25 17:47
L107	21441	(jpg htm pdf mime) and ((jpg htm pdf mime) and "9")	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR ,	ON	2006/12/25 17:47
L108	75058	wireless near2 device	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON .	2006/12/25 17:47
L109	23	((caching near2 protocol) same rout\$3) and satellite	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2006/12/25 17:47
L111	0	("6347087" "6016388").pn. and socket	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2006/12/25 17:47
L112	0	caching near2 protcol	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2006/12/25 17:47
L113	391	caching near2 protocol	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2006/12/25 17:47

		•				
L114	2465	activate near2 feature	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2006/12/25 17:47
L115	8437	((online internet web) same (community group)) same (refer introduce link associate)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2006/12/25 17:47
L116	18	(content adj based adj routing) and satellite	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2006/12/25 17:47
L117	25	(application adj layer) same (content adj based adj routing)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2006/12/25 17:47
L118	2	(((caching near2 protocol) same rout\$3) and satellite) and @ad<"20000605"	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2006/12/25 17:47
L119	13	((caching near2 protocol) same rout\$3) and (content near routing)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2006/12/25 17:47
L120	17	rout\$3 near15 content near5 mime	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2006/12/25 17:47
L121	0	("6016388").pn. and socket	US-PGPUB; USPAT; EPO; DERWENT; IBM_TD8	OR	ON	2006/12/25 17:47
L122	0	("6343313").pn. and socket	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2006/12/25 17:47
L123	46	(rout\$3 near15 mime) and @ad<"20000605"	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2006/12/25 17:47
L124	64509	((wireless near2 device) (pda mobile cell)) near100 (configure activate initialize setup authorize)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2006/12/25 17:47
L125	1983627	pda mobile cell	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2006/12/25 17:47

L126	349202	san or (storage adj area adj network)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2006/12/25 17:47
L128	63221	(pda mobile cell) near100 (configure activate initialize setup authorize)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2006/12/25 17:47
L129	75058	wireless near2 device	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2006/12/25 17:47
L130	18	((san or (storage adj area adj network)) and ndmp) and library	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2006/12/25 17:47
L131	21775	application adj layer	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2006/12/25 17:47
L132	2	"6377986".pn.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2006/12/25 17:47
L133	18	(url near5 suffix) same rout\$4	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2006/12/25 17:47
L134	612	(library same manag\$5) same (device same host)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2006/12/25 17:47
L135	86	ndmp	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2006/12/25 17:47
L136	349202	san or (storage adj area adj network)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2006/12/25 17:47
L137	16233	library same manag\$5	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2006/12/25 17:47
L138	21441	(jpg htm pdf mime) and "9"	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2006/12/25 17:47

_						
L139	4	("6205481" "6347087").pn.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2006/12/25 17:47
L140	96	((online internet web) near5 (dating)) same (profile preference associate link)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2006/12/25 17:47
L141	100	((((wireless near2 device) (pda mobile cell)) near100 (configure activate initialize setup authorize)) and (activate near2 feature)) and (server)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2006/12/25 17:47
L142	12	(((jpg htm pdf mime) and ((network near30 rout\$3) same (application adj layer))) ((ascii same binary) and (routing adj option))) and (content near4 routing)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2006/12/25 17:47
L143	59	(san or (storage adj area adj network)) and ndmp	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2006/12/25 17:47
L144	8437	((online internet web) same (community group)) same (refer introduce link associate)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2006/12/25 17:47
L145	76	(((online internet web) near5 (dating)) same (profile preference associate link)) and (block prevent lock ban bar)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2006/12/25 17:47
L146	391	caching near2 protocol	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2006/12/25 17:47
L149	8	((network near30 rout\$3) same (application adj layer)) and (routing adj option)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2006/12/25 17:47
L152	13	(((network near30 rout\$3) same (application adj layer)) and (content near4 routing)) and @ad<"20000605"	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2006/12/25 17:47
L153	18	((san or (storage adj area adj network)) and ndmp) and library	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2006/12/25 17:47
L154	2	(jpg htm pdf mime) and ((((network near30 rout\$3) same (application adj layer)) and (content near4 routing)) and @ad<"20000605")	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2006/12/25 17:47

			-			
L155	67	(jpg htm pdf mime) and ((network near30 rout\$3) same (application adj layer))	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2006/12/25 17:47
L156	28	(ascii same binary) and (routing adj option)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON ·	2006/12/25 17:47
L157	11	(routing adj option) and ((content data file) near4 (type size) near10 (mime jped jpg htm html))	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2006/12/25 17:47
L158	27	(content adj based adj routing) and @ad<"20000605"	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2006/12/25 17:47
L159	18	(content adj based adj routing) and satellite	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2006/12/25 17:47
L160	25	(application adj layer) same (content adj based adj routing)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2006/12/25 17:47
L161	2	((((caching near2 protocol) same rout\$3) and satellite) and @ad<"20000605"	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2006/12/25 17:47
L162	13	((caching near2 protocol) same rout\$3) and (content near routing)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2006/12/25 17:47

Page 12